

L Number	Hits	Search Text	DB	Time stamp
-	20	(( queue with destination\$1) same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:00
-	3	((709/310,313,314,315).CCLS.) & ( path with destination with queue\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:22
-	3	((709/310,313,314,315).CCLS.) & ( path with destination with queue\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:28
-	4	((709/310,313,314,315).CCLS.) & ( path with destination same queue\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:23
-	4	((709/310,313,314,315).CCLS.) & ( destination with queue\$1 same path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:24
-	25	((709/310,313,314,315).CCLS.) & ( destination with queue\$1 & path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:24
-	19	((709/310,313,314,315).CCLS.) & ( path with queue\$1)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:38
-	0	((709/310,313,314,315).CCLS.) & ( path with queue\$1).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:29
-	14	((709/310,313,314,315).CCLS.) & ( destination with queue\$1 with (id or identi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:57
-	123	((709/310,313,314,315).CCLS.) & ( queue\$1 with (id or identi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:46
-	5	((709/310,313,314,315).CCLS.) & ( queue\$1 with (id or identi\$6) same path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 12:46
-	58	((709/310,313,314,315).CCLS.) & ( queue\$1 near2 (id or identi\$6))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:19
-	2	((709/310,313,314,315).CCLS.) & ( queue\$1 near2 (id or identi\$6) same path)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:53
-	27	((709/310,313,314,315).CCLS.) & ( queue\$1 near2 (id or identi\$6) & class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:53

-	3	((709/310,313,314,315).CCLS.) & ( queue\$1 near2 (id or identi\$6) same class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:53
-	58	((709/310,313,314,315).CCLS.) & ( queue\$1 near2 (id or identi\$6) )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:43
-	17	( destination with queue\$1 with (id or identi\$6) same class)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 13:58
-	2	( destination with queue\$1 with (id or identi\$6) same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:00
-	0	( pointer with queue\$1 with (id or identi\$6) same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:00
-	0	( pointer with queue\$1 with destination same class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:00
-	0	( pointer with queue\$1 with destination & class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:01
-	1	( pointer with queue\$1 with destination & object).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:01
-	2	( ( pointer with queue\$1 with destination ).ab.) & ( class or oreinted)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:01
-	36	( pointer with queue\$1 with destination ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:05
-	23	( pointer with queue\$1 same path ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:05
-	0	( pointer with queue\$1 same path & class ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:05
-	23	( pointer with queue\$1 same path ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:15
-	1	( queue with (path near2 object)).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:16

-	7	( queue with (path near2 object))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:18
-	18	( queue same (path near2 object))	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:23
-	9	( queue with indicat\$3 & client).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:26
-	21	( queue with indicat\$3 & class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:41
-	30	( queue with table & class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:42
-	1	( queue with table with ( id or identi\$6) & class).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:42
-	1112	( queue\$1 with (id or identi\$6).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:43
-	20	( queue\$1 with (id or identi\$6) same class ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 14:44
-	44	( queue\$1 with (id or identi\$6) same client ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:01
-	176	( queue\$1 with (id or identi\$6) with path ).	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:01
-	176	( queue\$1 with (id or identi\$6) with path )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:01
-	6	( queue\$1 with (id or identi\$6) with path ) same class	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:06
-	0	( queue\$1 with (id or identi\$6) with path ) same ( object near2 oreinted)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:06
-	0	( queue\$1 with (id or identi\$6) with path ) same ( object near2 oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:06

	5	( queue\$1 with (id or identi\$6) with path ) & ( object near2 oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:11
	91	( queue\$1 with path ) & ( object near2 oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:10
	0	( queue\$1 with path ) same ( object near2 oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:11
	0	(( queue\$1 with path ).ab.) & ( object near2 oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:11
	251	(( queue\$1 with path ).ab.)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:11
	0	(( queue\$1 with path ).ab.) & ( object near2 oriented)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:11
	0	( queue\$1 with (id or identi\$6) with path same class ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:12
	8	( queue\$1 with path same class ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:12
	10	( queue\$1 same path same class ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:18
	52	( queue\$1 with indicator same path )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:22
	20	( queue\$1 with indicator same path & class )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:23
	5	( (queue\$1 near2 indicator) same path & class )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:24
	16	( (queue\$1 near2 indicator) same class )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:24
	0	( (queue\$1 near2 indicator) with table same class )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:25



-	0	((709/310,313,314,315).CCLS.) & ( queue same table).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:49
-	0	((709/310,313,314,315).CCLS.) & ( queue\$1 same table).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:49
-	4	((709/310,313,314,315).CCLS.) & ( queue with indicat\$3).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:54
-	117	((709/310,313,314,315).CCLS.) & ( queue with indicat\$3)	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:54
-	3	((709/310,313,314,315).CCLS.) & ( queue with indicat\$3) same path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:55
-	5	((709/310,313,314,315).CCLS.) & ( queue with select\$3 ) same path	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:58
-	35	((709/310,313,314,315).CCLS.) & ( queue same path )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:58
-	1	((709/310,313,314,315).CCLS.) & ( queue same path ).ab.	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:58
-	14	((709/310,313,314,315).CCLS.) & ( queue with path )	USPAT; US-PGPUB; EPO; JPO; DERWENT; IBM_TDB	2003/12/08 16:58